

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30/09/2016 Revision date: :

Version: 1.1

1.1. Product identifier	
Product form	: Mixtures
Product name	: Power Out – Leather
Vaporizer	: Aerosol
1.2. Relevant identified uses of th	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: Automotive Care Products.
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	safatu data shaat
Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Liverpool, L30 4AB - United Kingdom T +44 151 530 4740 <u>MSDS@turtlewaxeurope.com</u>	
1.4. Emergency telephone number	er
Emergency number	: +44 151 530 4740 Office hours only 08:30 - 17:00
SECTION 2: Hazards identification	tion
2.1. Classification of the substand	ce or mixture
Aerosol 1 H222;H229 Aerosol 3 H229	
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318	
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-stateme	
Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-stateme	ents : see section 16
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-stateme 2.2. Label elements Labelling according to Regulation (EC	ents : see section 16
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-stateme 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP)	ents : see section 16) No. 1272/2008 [CLP]
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-stateme 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP)	ents : see section 16 No. 1272/2008 [CLP] : : : : : : : : : : : : :
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-statemet 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	ents : see section 16 No. 1272/2008 [CLP]
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-statemer 2.2. Label elements Labelling according to Regulation (EC Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 Ints : see section 16 No. 1272/2008 [CLP] Image: Section 2 (Section 2) GHS02 GHS02 GHS03 GHS03 GHS04 GHS05 Danger ALCOHOLS C9-11, ETHOXYLATED ; Alcohols, C9-11, branched and linear, ethoxylated (1-2 EO) H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H318 - Causes serious eye damage P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking P211 - Do not spray on an open flame or other ignition source P251 - Do not pierce or burn, even after use P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor
Aerosol 1 H222;H229 Aerosol 3 H229 Eye Dam. 1 H318 Full text of hazard classes and H-stateme 2.2. Label elements	 Ints : see section 16 No. 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i

Adverse physicochemical, human health and

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate.. May produce an allergic reaction

2.3. **Other hazards**

: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye damage.

SECTION 3: Composition/information on ingredients

3.1. **Substances**

environmental effects

Not applicable

Mixtures 3.2.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	(CAS No) 68512-91-4 (EC No) 270-990-9 (EC Index No) 649-083-00-0	1 - 20	Press. Gas Flam. Gas 1, H220
ALCOHOLS C9-11, ETHOXYLATED	(CAS No) 68439-46-3	< 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohols, C9-11, branched and linear, ethoxylated (1-2,5 EO)	(CAS No) 160901-09-7 (EC No) 500-446-0	< 10	Eye Dam. 1, H318
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-48-9 (EC No) 919-857-5 (REACH-no) 01-2119463258-33	< 10	STOT SE 3, H336 Asp. Tox. 1, H304
Methyl 9-dodecenoate (9-dodecenoic acid methyl ester)	(CAS No) 39202-17-0	< 1	Aquatic Acute 1, H400
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate.		< 0.1	Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Get medical advice/attention.	
First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Immediately rinse with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.	
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
4.2. Most important symptoms and effect	s, both acute and delayed	
Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.	
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use. May cause slight irritation.	
Symptoms/injuries after eye contact	: Causes serious eye damage.	
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Ingestion may cause nausea, vomiting and diarrhea.	

Indication of any immediate medical attention and special treatment needed 4.3.

Treat symptomatically.

SECTION 5: Fire-fighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use water jet.	
5.2. Special hazards arising from	the substance or mixture	
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Pressurised container: May burst if heated.	
Reactivity in case of fire	: Not known.	
19/01/2017	EN (English)	2/9

Safety Data Sheet

Hazardo fire	us decomposition products in case of	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.
5.3.	Advice for firefighters	
Precautio	onary measures fire	: Evacuate area.
Firefighti	ng instructions	: Evacuate area. Eliminate all ignition sources if safe to do so. Use extinguishing media appropriate for surrounding fire.
Protectio	n during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTI	ON 6: Accidental release mea	sures
6.1.	Personal precautions, protective ed	uipment and emergency procedures
6.1.1.	For non-emergency personnel	
Protectiv	e equipment	: Use appropriate personal protection equipment (PPE).
Emergen	ncy procedures	: Eliminate all ignition sources if safe to do so. Ventilate spillage area. Do not breathe gas, fum vapours, spray. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protectiv	e equipment	: Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection". Avoid contact with skin and eyes. Do not breathe gas/vapour/aerosol.
Emergen	ncy procedures	: Eliminate all ignition sources if safe to do so. Ventilate area.
6.2.	Environmental precautions	
Avoid rel	ease to the environment.	
6.3.	Methods and material for containm	ent and cleaning up
Methods	for cleaning up	: Ventilate spillage area. Collect spillage. Take up liquid spill into absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Use only non-sparking tools.
Other inf	ormation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furth	er information refer to section 8: "Expos	ure controls/personal protection". For disposal of solid materials or residues refer to section 13 :

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Use only in well ventilated areas.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, in	ncluding any incompatibilities	
Storage conditions	 Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. 	
Incompatible materials	: Direct sunlight. Sources of ignition.	
Storage area	: Store away from heat. Store in a well-ventilated place.	
Packaging materials	: Keep only in original container.	
7.3. Specific end use(s)		

Automotive Care Products.

SECT	SECTION 8: Exposure controls/personal protection			
8.1.	Control parameters			
No add	tional information available			
8.2.	Exposure controls			
Approp	iate engineering controls	: Ensure adequate ventilation.		

Personal protective equipment : Not required for normal conditions of use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: Not required for normal conditions of use
Eye protection	: Eye protection should only be necessary where liquid could be splashed or sprayed
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not necessary with sufficient ventilation
Environmental exposure controls	: Avoid release to the environment.
Consumer exposure controls	: Read label before use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Appearance	: Aerosol.	
Colour	: characteristic.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: Pressurised container: May burst if heated.	
Oxidising properties	: Not applicable.	
Explosive limits	: No data available	
0.2 Other information		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity				
10.1.	Reactivity			
Extreme	Extremely flammable aerosol.			
10.2.	Chemical stability			
Stable u	Stable under normal conditions.			
10.3.	Possibility of hazardous reactions			
No dang	erous reactions known under normal conditions of use.			
10.4.	Conditions to avoid			
Avoid co	ntact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5.	Incompatible materials			
Oxidizing	Oxidizing agent.			
10.6.	Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced.				
SECTION 11: Toxicological information				
11.1.	Information on toxicological effects			
Acute to:	xicity : Not classified (Based on available data, the classification criteria are not met)			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Power Out – Leather	
Vaporizer	Aerosol

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Ecology - water	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)		
LC50 fish 1	> 1000 mg/l	

LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability	
Power Out – Leather	
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
Power Out – Leather	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
Power Out – Leather	
Ecology - soil	No data available.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: None known.
Additional information	: No other effects known
SECTION 13: Disposal considerations	3
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Container under pressure. Do not drill or burn even after use. Dispose in a safe manner in accordance with local/national regulations. Do not pierce or burn, even after use.
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number		
UN-No. (ADR)	: 1950	
UN-No. (IMDG)	: 1950	
UN-No. (IATA)	: 1950	
UN-No. (ADN)	: 1950	
UN-No. (RID)	: 1950	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: AEROSOLS	
Proper Shipping Name (IMDG)	: AEROSOLS	
19/01/2017	EN (English)	5/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
Danger labels (ADR)	. 2.1
	:
	2
Transport hazard class(es) (IMDG)	: 2.1 : 2.1
Danger labels (IMDG)	. 2.1
	:
	2
Transport hazard class(es) (IATA)	: 2.1 : 2.1
Hazard labels (IATA)	. 2.1
	:
	2
Transport hazard class(es) (ADN) Danger labels (ADN)	: 2.2 : 2.2
Danger labels (ADN)	. 2.2
	2
Transport hazard class(es) (RID) Danger labels (RID)	: 2.2 : 2.2
שמוועפו ומשפוש (תוש)	
	:
	2
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
19/01/2017	EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	. MF9 : 2
Special provisions for carriage - Packages	. Z : V14
(ÅDR)	
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOL with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
MFAG-No	: 126
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5A
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP
Ventilation (ADN)	: VE04
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: Vo
earrage promotion (/ (Dity)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Not subject to ADN	: No
- Rail transport	
Classification code (RID)	: 5A
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 20
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Ingredient data sheet:

Component	CAS No	%
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	68512-91-4	1 - 10%
C9-11 PARETH-6	68439-46-3	1 - 10%
C9-11 PARETH-X	160901-09-7	1 - 10%
	64742-48-9	1 - 10%
Methyl 9-dodecenoate (9-dodecenoic acid methyl ester)	39202-17-0	0.1 - 1%
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6- pentamethyl-4-piperidyl sebacate.		<0.1%
Detergent Regulation : Labelling of contents:		
Component		%
non-ionic surfactants, aliphatic hydrocarbons		<5%

National regulations 15.1.2.

Seveso directive 96/82/EC

Chemical safety assessment 15.2.

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	 This information of the Safety Data Sheet is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. We are not responsible for the correctness of the information provided and any consequences in using it. Please read the SDS carefully before using the product.
Full text of H- and EUH-statements:	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aerosol 3	Aerosol, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Gas 1	Flammable gases, Category 1
Press. Gas	Gases under pressure
Skin Sens. 1A	Sensitisation — Skin, category 1A
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product