SERVICE BEST INTERNATIONAL

Safety data sheet

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : VALMA WHEEL CLEAN
Product code : 09231512, 1831303; A11G
UFI : P2NW-9KSY-X19Q-8WGP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. Other vehicle (all types) cleaning and care products.

1.3. Details of the supplier of the safety data sheet

Supplier : Service Best International B.V.
De Run 4271
5503 LM VELDHOVEN, The Netherlands
Telephone : +31 40 230 2300
E-mail : info@servicebest.com
Website : www.servicebest.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
NL - Telephone : +31 40 230 2300 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION *

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Eye irritation, category 2.

Human health hazards : Causes serious eye irritation.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):
Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H319	Causes serious eye irritation.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P280 eyes only	Wear eye protection.
P305+P351 +P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases : P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Anionic surfactants , Soap	< 5
Perfumes, 2-Bromo-2-nitropropane-1,3-diol.	

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS *

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Propan-2-ol	5 - < 10	67-63-0	200-661-7		01-2119457558-25
2-Butoxyethanol	5 - < 10	111-76-2	203-905-0		01-2119475108-36
Alcohols, C12-14, ethoxylated, sulfates , sodium salts	1 - < 5	68891-38-3	500-234-8		01-2119488639-16
2,2',2''-Nitrilotriethanol	0,1 - < 1	102-71-6	203-049-8	MAC	01-2119486482-31
2,2'-iminodiethanol	0,1 - < 1	111-42-2	203-868-0		01-2119488930-28

Substance name	Hazard Class	H-phrases	Pictograms	
Propan-2-ol	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	H225; H319; H336	GHS02; GHS07	
2-Butoxyethanol	Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2	H302; H331; H315; H319	GHS06; GHS07	
Alcohols, C12-14, ethoxylated, sulfates , sodium salts	Skin Irrit. 2; Eye Dam. 1; Aquatic Chronic 3	H315; H318; H412	GHS05	H319 : C >= 5 % H318 : C >= 10 %
2,2',2''-Nitrilotriethanol	-----	-----	-----	
2,2'-iminodiethanol	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT RE 2	H302; H315; H318; H373	GHS05; GHS07; GHS08	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation	:	Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	:	Take off contaminated clothing. Wash off skin with plenty of water before product dries up.
Eye contact	:	Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
Ingestion	:	Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation	:	May cause headache, dizziness and a feeling of sickness.
Skin contact	:	May cause dry skin.
Eye contact	:	Irritant. May cause redness and pain.
Ingestion	:	May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES *

5.1. Extinguishing media

Extinguishing media

Suitable	:	Carbondioxide (CO_2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	:	Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal decomposition products	:	Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters	:	Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	:	Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE *

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 50 °C). Protect from sunlight. Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended packaging : Steel (except stainless steel). PET and PETG.

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION *

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Propan-2-ol	GB	999	1250	-	
2-Butoxyethanol	EC	98	246	Skin	Directive 2000/39/EC
	GB	123	246	Skin; BMGV	
2,2',2''-Nitrilotriethanol		5	10	-	
2,2'-iminodiethanol		2	-		MAC: DK, FI, B, ES

Biological limit values (BMGV):

Substance	Country	Determinant	BMG-value	Specimen/Sampling Time/Remarks
			None known.	

Abbreviations BMG-list : B = Blood. U = Urine. b = At the end of the period of exposure. d = pre-shift.

Source : EH40/2005 (Fourth edition, 2020).

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal				888 mg/kg bw/day
	Inhalation				500 mg/m3
2-Butoxyethanol	Inhalation	246 mg/m3			98 mg/m3
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal				2750 mg/kg bw/day
	Inhalation				175 mg/m3
2,2',2''-Nitrilotriethanol	Dermal				6,3 mg/kg bw/day

	Inhalation			5 mg/m3	5 mg/m3
2,2'-iminodiethanol	Dermal				0,13 mg/kg bw/day
	Inhalation			1 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal				319 mg/kg bw/day
	Inhalation				89 mg/m3
	Oral				26 mg/kg bw/day
2-Butoxyethanol	Inhalation	147 mg/m3			59 mg/m3
	Oral		26.7 mg/kg bw		6.3 mg/kg bw/day
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal				1650 mg/kg bw/day
	Inhalation				52 mg/m3
	Oral				15 mg/kg bw/day
2,2',2''-Nitrilotriethanol	Dermal				3,1 mg/kg bw/day
	Inhalation			1,25 mg/m3	1,25 mg/m3
	Oral				13 mg/kg bw/day
2,2'-iminodiethanol	Dermal				0,07 mg/kg bw/day
	Oral				0,06 mg/kg bw/day
	Inhalation			0,25 mg/m3	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food
2-Butoxyethanol	Water	8.8 mg/l	0.88 mg/l	
	Sediment	34.6 mg/kg	3.46 mg/kg	
	Intermittent water			9,1 mg/l
	STP			463 mg/l
	Soil			2.33 mg/kg
	Oral			0.02 mg/kg food
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Water	0,24 mg/l	0,024 mg/l	
	Sediment	5,45 mg/kg	0,545 mg/kg	
	Intermittent water			0,071 mg/l
	STP			10000 mg/l
	Soil			0,946 mg/kg
2,2',2''-Nitrilotriethanol	Water	0,32 mg/l	0,032 mg/l	
	Sediment	1,7 mg/kg	0,17 mg/kg	
	Intermittent water			5,12 mg/l
	STP			10 mg/l
	Soil			0,151 mg/kg
2,2'-iminodiethanol	Water	0,0022 mg/l	0,00022 mg/l	
	Sediment	0,019 mg/kg	0,0019 mg/kg	
	Intermittent water			0,022 mg/l
	STP			100 mg/l
	Soil			0,00108 mg/kg

8.2. Exposure controls

Engineering measures	:	Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
Hygienic measures	:	When using do not eat, drink or smoke.

Personal protective equipment:
The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	:	Use of specific protective industrial clothing is not required under normal conditions of use.
Respiratory protection	:	Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	:	Under normal conditions of use specific gloves are not required.
Eye protection	:	Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES *

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid.	
Colour	:	Blue-green.	
Odour	:	Perfumed.	
Odour threshold	:	Not known.	
pH	:	11,4	
Solubility in water	:	Soluble.	
Partition coefficient (n-octanol/water)	:	Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	:	41 °C	Closed cup. Does not support combustion.
Flammability (solid, gas)	:	Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	:	> 180 °C	
Boiling point/boiling range	:	82 °C	
Melting point/melting range	:	0 °C	
Explosive properties	:	Not an explosive.	
Explosion limits (% in air)	:	Not known.	Lower explosion limit in air (%): 1,3 (2-Butoxyethanol)
	:		Upper explosion limit in air (%): 12 (Propan-2-ol)
Oxidising properties	:	Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	:	Not applicable.	
Viscosity (20°C)	:	1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	:	1 mm2/sec	
Vapour pressure (20°C)	:	> 2300 Pa	
Relative vapour density	:	> 1	(air = 1)
Relative density (20°C)	:	0,98 g/ml	
Particle characteristics	:	Not applicable.	Liquid.

9.2. Other information

Other information	:	Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity	:	See sub-sections below.

10.2. Chemical stability

Stability	:	Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION *

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 2 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Propan-2-ol	LD50 (oral)	5840 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	12800 mg/kg bw	-----	Rat
	LC50 (inhalation)	46600 mg/m3	-----	Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	853 mg/kg bw/d	OECD 415	Rat
	NOAEL (development, oral)	596 mg/kg bw/d	OECD 414	Rat
	NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 416	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Mutagenicity	Negative	OECD 471	
	NOAEL (inhalation)	12500 mg/m3	OECD 451	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOEL (carcinogenicity, inh.)	12500 mg/m3		Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral)	870 mg/kg bw/d	-----	Rat
2-Butoxyethanol	Eye irritation	Irritant	OECD 405	Rabbit
	LC50 (inhalation)	2200 mg/m3	OECD 403	Rat
	LD50 (dermal)	435 mg/kg bw	OECD 402	Rabbit
	NOAEL (inhalation)	152 mg/m3	OECD 413	Rat
	NOAEL (fertility, oral)	720 mg/kg bw/d		
	Genotoxicity - in vitro	Not genotoxic		
	NOEL (carcinogenicity, oral)	Not carcinogenic		
	LD50 (oral)	1746 mg/kg bw	OECD 401	Rat
	NOAEL (dermal)	> 150 mg/kg bw/d	OECD 411	Rabbit
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (development, oral)	> 100 mg/kg bw/d	OECD 414	Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	LD50 (oral) - estimate	1200 mg/kg bw		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Mutagenicity	Negative	OECD 471	
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (fertility, oral)	> 300 mg/kg bw/d	OECD 416	Rat
	NOEL (carcinogenicity) - estimate	> 75 mg/kg.d	Read across	Rat
	LD50 (oral)	4100 mg/kg bw	OECD 401	Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Genotoxicity - in vivo	Negative	OECD 475	Mouse
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	NOAEL (oral)	> 225 mg/kg bw/d	OECD 408	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	LC50 (inhalation) - estimate	> 5000 mg/m3	Read across	

11.2. Information on other hazards

Endocrine disrupting properties	:	Not applicable.
Other information	:	Not applicable.

SECTION 12 ECOLOGICAL INFORMATION *

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity	:	Calculated LC50 (fish): 318 mg/l. Calculated EC50 (waterflea): 307 mg/l. Contains 2 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability	:	No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential	:	Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility	:	If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment	:	Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties	:	Not applicable.

12.7. Other adverse effects

Other adverse effects	:	Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	:	Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	:	Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	:	Do not dispose of into the environment, drains, sewers or water courses.
European waste catalogue	:	Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	:	Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr.	:	None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)
Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)
Class : This product is not classified according to IMDG.
Marine pollutant : No

IATA (air)
Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION *

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION *

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CLP : Classification, Labeling & Packaging
CMR : Carcinogenic, Mutagenic or toxic for Reproduction
EEC : European Economic Community
GHS : Globally Harmonized System of Classification and Labelling of Chemicals
IATA : International Air Transport Association
IBC code : International Bulk Chemical Code
IMDG : International Maritime Dangerous Goods Code

LD50/LC50	:	Lethal Dose/Concentration for 50% of a population
MAC	:	Maximum Allowable Concentration
MARPOL	:	International Convention for the Prevention of Pollution From Ships
NO(A)EL	:	No Observed (Adverse) Effect Level
OECD	:	Organisation for Economic Co-operation and Development
PBT	:	Persistent, Bioaccumulative and Toxic
PC	:	Chemical product category
PT	:	Product type
REACH	:	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	:	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	:	Sewage Treatment Plant
SU	:	Sector of Use
TWA/STEL	:	Time-Weighted Average/Short Term Exposure Limit
UN	:	United Nations
UFI	:	Unique formula identifier
VOC	:	Volatile Organic Compounds
vPvB	:	Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Eye Irrit. 2	:	Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2	:	Flammable liquid, category 2.
Acute Tox. 3	:	Acute toxicity, category 3.
Acute Tox. 4	:	Acute toxicity, category 4.
Skin Irrit. 2	:	Skin irritation, category 2.
Eye Dam. 1	:	Serious eye damage, category 1.
Eye Irrit. 2	:	Eye irritation, category 2.
STOT SE 3	:	Specific target organ toxicity after single exposure, category 3.
STOT RE 2	:	Specific target organ toxicity — repeated exposure, category 2.
Aquatic Chronic 3	:	Hazardous to the aquatic environment — Chronic category 3.

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H331	Toxic if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2022-12-29